

Contents

| | | |
|----------|----------------------------------------------------------|----|
| 1 | Introduction | 1 |
| 2 | Notation, definitions and tools | 13 |
| 2.1 | Notation, basic matrix types and properties | 13 |
| 2.2 | Eigenvalues and eigenvectors | 16 |
| 2.3 | The Jordan canonical form | 18 |
| 2.4 | Minimal polynomials | 19 |
| 2.5 | Singular values | 20 |
| 2.6 | The companion matrix | 20 |
| 2.7 | Hessenberg matrices | 22 |
| 2.8 | Tridiagonal matrices | 31 |
| 2.9 | Unitary transformations | 33 |
| 2.10 | Krylov subspaces and their basic properties | 40 |
| 2.11 | Finite precision arithmetic and backward stability | 43 |
| 2.12 | Parallel computing | 46 |
| 2.13 | Preconditioning | 47 |
| 2.14 | Stopping criterion | 47 |
| 2.15 | Historical notes | 50 |
| 3 | Q-OR and Q-MR methods | 53 |
| 3.1 | Definition | 53 |
| 3.2 | Relations between Q-OR and the associated Q-MR process | 58 |
| 3.3 | Residual vectors and residual polynomials | 63 |
| 3.4 | The inverse of U_k and the residual norms | 73 |
| 3.5 | Prescribing the convergence curve | 77 |
| 3.6 | Stagnation of Q-MR | 82 |
| 3.7 | Residual bounds | 83 |
| 3.8 | Residual norms in terms of spectral quantities | 85 |
| 3.9 | Relations between Q-OR/Q-MR methods with different bases | 89 |

| | | |
|----------|-------------------------------------------------------------------------|------------|
| 3.10 | Generalized Q-OR/Q-MR methods | 92 |
| 3.11 | Historical notes | 94 |
| 4 | Bases for Krylov subspaces | 99 |
| 4.1 | Orthonormal basis | 99 |
| 4.2 | Hessenberg basis | 109 |
| 4.3 | Biorthogonal basis | 112 |
| 4.4 | The generalized Hessenberg process | 118 |
| 4.5 | Q-OR optimal basis | 119 |
| 4.6 | Newton and Chebyshev bases | 133 |
| 4.7 | Truncated bases | 137 |
| 4.8 | Parallel computing | 146 |
| 4.9 | Finite precision arithmetic and numerical experiments | 149 |
| 4.9.1 | Orthogonal basis | 149 |
| 4.9.2 | Hessenberg basis | 167 |
| 4.9.3 | Biorthogonal basis | 167 |
| 4.9.4 | Q-OR opt basis | 176 |
| 4.9.5 | Newton and Chebyshev bases | 180 |
| 4.9.6 | Truncated Q-OR basis | 181 |
| 4.10 | Historical notes | 188 |
| 5 | FOM/GMRES and variants | 193 |
| 5.1 | Introduction to FOM and GMRES | 193 |
| 5.2 | Convergence of FOM and GMRES | 197 |
| 5.3 | Prescribed convergence | 205 |
| 5.4 | Stagnation of GMRES | 216 |
| 5.5 | Residual norms | 223 |
| 5.6 | The residual polynomials | 231 |
| 5.7 | Study of convergence using unitary matrices | 241 |
| 5.8 | Estimates of the norm of the error | 251 |
| 5.9 | Other implementations of GMRES | 263 |
| 5.10 | Parallel computing | 269 |
| 5.11 | Finite precision arithmetic | 273 |
| 5.12 | Numerical examples | 278 |
| 5.12.1 | FOM and GMRES | 278 |
| 5.12.2 | Variants of GMRES | 281 |
| 5.12.3 | Prescribed convergence and stagnation | 288 |
| 5.12.4 | Residual norm bounds | 290 |
| 5.12.5 | Error norm estimates | 292 |
| 5.13 | Historical notes | 292 |
| 6 | Methods equivalent to FOM or GMRES | 303 |
| 6.1 | GCR, Orthomin, Orthodir and Axelsson's method | 303 |
| 6.2 | Simpler, residual-based simpler and adaptive simpler GMRES | 309 |

- 6.3 Orthores 319
- 6.4 Q-OR Optinv 320
- 6.5 Parallel computing 323
- 6.6 Finite precision arithmetic 324
- 6.7 Numerical examples 327
 - 6.7.1 GCR, Orthodir and Axelsson 327
 - 6.7.2 ASGMRES 330
 - 6.7.3 FOM and Orthores 334
 - 6.7.4 Q-OR Optinv 335
- 6.8 Historical notes 338
- 7 Hessenberg/CMRH 341**
 - 7.1 Derivation of the methods 341
 - 7.2 Comparison with GMRES and convergence of CMRH 346
 - 7.3 Prescribed convergence 347
 - 7.4 Stagnation of CMRH 348
 - 7.5 Residual norms 348
 - 7.6 Parallel computing 348
 - 7.7 Finite precision arithmetic 349
 - 7.8 Numerical experiments 349
 - 7.9 Historical notes 352
- 8 BiCG/QMR and Lanczos algorithms 355**
 - 8.1 The Lanczos algorithms 355
 - 8.2 Derivation of BiCG 358
 - 8.3 QMR 368
 - 8.4 Breakdowns and look-ahead in BiCG/QMR 373
 - 8.5 Comparison of QMR and GMRES 378
 - 8.6 Prescribed convergence in BiCG and QMR 379
 - 8.7 Residual norms 382
 - 8.8 Lanczos algorithms with look-ahead and formal orthogonal polynomials 383
 - 8.9 Parallel computing 389
 - 8.10 Finite precision arithmetic 391
 - 8.11 Numerical examples 394
 - 8.11.1 BiCG 394
 - 8.11.2 QMR 396
 - 8.11.3 Comparisons with GMRES 402
 - 8.11.4 Methods with look-ahead 403
 - 8.11.5 Ai/Bj 404
 - 8.12 Historical notes 405
- 9 Transpose-free Lanczos methods 411**
 - 9.1 CGS 411
 - 9.2 BiCGStab and extensions 421

| | | |
|-----------|----------------------------------------------------------------------------------------|------------|
| 9.3 | Other product-type methods | 430 |
| 9.4 | Look-ahead for transpose-free methods | 433 |
| 9.5 | Parallel computing | 434 |
| 9.6 | Finite precision arithmetic | 435 |
| 9.7 | Numerical experiments | 436 |
| | 9.7.1 BiCGS | 436 |
| | 9.7.2 BiCGStab and variants | 437 |
| | 9.7.3 QMR-like methods | 445 |
| 9.8 | Historical notes | 448 |
| 10 | The IDR family | 455 |
| 10.1 | The primitive IDR algorithm | 455 |
| 10.2 | The first IDR algorithm | 456 |
| 10.3 | IDR(s) and variants | 460 |
| 10.4 | Other IDR algorithms | 466 |
| 10.5 | Using higher order stabilizing polynomials | 471 |
| 10.6 | Residual norms and convergence | 475 |
| 10.7 | A predecessor of IDR: ML(k)BiCGStab | 476 |
| 10.8 | Parallel computing | 477 |
| 10.9 | Finite precision arithmetic | 478 |
| 10.10 | Numerical examples | 478 |
| | 10.10.1 IDR | 478 |
| | 10.10.2 Variants of IDR and IDR-QMR | 482 |
| | 10.10.3 ML(k)BiCGStab | 485 |
| 10.11 | Historical notes | 488 |
| 11 | Restart, deflation and truncation | 497 |
| 11.1 | Restarted FOM and GMRES | 498 |
| 11.2 | Prescribed convergence | 505 |
| 11.3 | Restarting techniques for FOM and GMRES | 515 |
| 11.4 | Restarted and augmented CMRH and Q-OR Opt | 535 |
| 11.5 | Truncated FOM and GMRES | 535 |
| 11.6 | Truncated Q-OR | 538 |
| 11.7 | Parallel computing | 539 |
| 11.8 | Finite precision arithmetic | 539 |
| 11.9 | Numerical experiments | 539 |
| | 11.9.1 Restarted GMRES without preconditioning | 539 |
| | 11.9.2 Restarted GMRES with preconditioning | 543 |
| | 11.9.3 Restarting with deflation and augmentation without preconditioning | 545 |
| | 11.9.4 Restarting with deflation and augmentation with preconditioning | 562 |
| | 11.9.5 Truncated Q-OR | 571 |
| 11.10 | Historical notes | 575 |

| | | |
|-----------|-----------------------------------------------------|-----|
| 12 | Related topics | 579 |
| 12.1 | FGMRES | 579 |
| 12.1.1 | Definition | 579 |
| 12.1.2 | Historical notes | 580 |
| 12.2 | GCRO | 581 |
| 12.2.1 | Definition | 581 |
| 12.2.2 | Historical notes | 582 |
| 12.3 | Relaxation for matrix–vector products | 583 |
| 12.4 | Systems with multiple right-hand sides | 583 |
| 12.4.1 | Definition | 583 |
| 12.4.2 | Historical notes | 586 |
| 12.5 | Shifted linear systems | 588 |
| 12.5.1 | Definition | 588 |
| 12.5.2 | Historical notes | 588 |
| 12.6 | Singular systems | 589 |
| 12.6.1 | Definition | 589 |
| 12.6.2 | Historical notes | 589 |
| 12.7 | Least squares problems | 590 |
| 12.7.1 | Definition | 590 |
| 12.7.2 | Historical notes | 593 |
| 12.8 | Ill-posed problems | 593 |
| 12.8.1 | Definition | 593 |
| 12.8.2 | Historical notes | 594 |
| 12.9 | Eigenvalue computations and rational Krylov methods | 595 |
| 12.9.1 | Definition | 595 |
| 12.9.2 | Historical notes | 595 |
| 12.10 | Functions of matrices | 596 |
| 12.10.1 | Definition | 596 |
| 12.10.2 | Historical notes | 597 |
| 12.11 | Minimum error methods | 598 |
| 12.11.1 | Definition | 598 |
| 12.11.2 | Historical notes | 598 |
| 12.12 | Residual replacement techniques | 598 |
| 12.13 | Residual smoothing techniques | 600 |
| 12.13.1 | Definition | 600 |
| 12.13.2 | Historical notes | 600 |
| 12.14 | Hybrid methods | 600 |
| 12.15 | CGNE and CGNR | 601 |
| 12.16 | USYMLQ and USYMQR | 602 |

- 13 Numerical comparisons of methods** 603
 - 13.1 Introduction 603
 - 13.2 Small matrices 604
 - 13.3 Larger matrices 616

- Appendix A: Test matrices and short biographical notices** 629

- References** 639

- Index** 683